# Annual Report to the Alaska Board of Game on Intensive Management for Moose with Wolf, Black Bear, and Grizzly Bear Predation Control in Game Management Unit 19A

Prepared by the Division of Wildlife Conservation February 2015



- 1) Description of IM Program<sup>1</sup> and Department recommendation for reporting period
- A) This report is an <u>annual</u> evaluation for a predation control program authorized by the Alaska Board of Game (Board) under 5 AAC 92.123
- B) Month this report was submitted by the Department to the Board:

February X (annual report) August (interim annual update) Year 2015

- C) Program name: Unit 19A wolf and bear predation control program (Fig. 1)
- D) Existing program has an associated Operational Plan
- E) Game Management Unit(s) fully or partly included in IM program area: Unit 19A
- F) IM objectives for moose population size 7,600–9,300 harvest 400–550
- G) Month and year the current predation control program was originally authorized by the Board: March 2004. Indicate date(s) if renewed: March 2009; February 2014
- H) Predation control is currently active in this IM area.
- I) If active, month and year the <u>current</u> predation control program began: <u>December 2004</u> for wolves, July 2012 (regulatory year 2012) for bears
- J) A habitat management program funded by the Department or from other sources is currently active in this IM area: No
- K) Size of IM program area (square miles) and geographic description: Unit 19A is  $9.972 \text{ mi}^2$
- L) Size and geographic description of area for assessing ungulate abundance: The Wolf Control Focus Area (WCFA) is 3,905 mi<sup>2</sup>; Unit 19A Bear Control Focus Area (BCFA) is 534 mi<sup>2</sup>
- M) Size and geographic description of area for ungulate harvest reporting:  $\underline{WCFA}$  is 3,905  $mi^2$
- N) Size and geographic description of area for assessing predator abundance: WCFA is 3,905 mi<sup>2</sup>; Unit 19A Bear Control Focus Area (BCFA) is 534 mi<sup>2</sup>
- O) Size and geographic description of predation control area: WCFA is 3,905 mi<sup>2</sup> for wolves BCFA; 534 mi<sup>2</sup> for bears

<sup>&</sup>lt;sup>1</sup> For purpose and context of this report format, see *Intensive Management Protocol*, section on Tools for Program Implementation and Assessment

- P) Criteria for evaluating progress toward IM objectives: moose abundance and harvest
- **Q)** Criteria for success with this program: <u>BCFA abundance=2.0 moose/mi<sup>2</sup> (~1,100 moose);</u> and WCFA harvest=120 moose
- R) Department recommendation for IM program in this reporting period: Continue program (details provided in section 6)




Figure 1. Unit 19A intensive management area and wolf and bear control focus areas.

#### 2) Prey data

Date(s) and method of most recent abundance assessment for moose: March 2014-Geospatial moose population estimate (GSPE) in BCFA

Compared to IM area, was a similar trend and magnitude of difference in abundance observed in nearby non-treatment area(s) since program inception: Non-treatment area not established

**Date(s) of most recent age and sex composition survey:** <u>November 2013, east-west line</u> transects in Holitna-Hoholitna Drainages

Compared to IM area, was a similar composition trend and magnitude of difference in composition observed in nearby non-treatment area(s) since program inception: Non-treatment area not established

Table 1. Moose abundance, age and sex composition in Wolf Control Focus Area (<u>WCFA</u>) or Bear Control Focus Area (BCFA) since program implementation in year 1 to year 11.

Regulatory year is 1 July to 30 June (e.g, RY 2014 is 1 July 2014 to 30 June 2015).

Keguiaioi y	year is I July	y to 30 June (e.g, K1 2014 is 1 July 20	114 10 30 9	une 201	<i>3)</i> .
			Compos	ition (nui	mber per
	Regulatory		$100 \text{ females})^2$		
Period	Year	Abundance (variation) <sup>1</sup>	Calves	Males	Total <i>n</i>
Year 1	2004	1085 moose (± 17%; 90% CI)			
Year 2	2005		24	8	307
Year 3	2006				
Year 4	2007	1703 moose (± 28%; 90% CI)	45	35	200
Year 5	2008		27	34	124
Year 6	2009		36	51	129
Year 7	2010	962 moose (± 18% at 90% CI)	19	48	212
		1,666 moose (± 36% 90% CI) w/scf			
Year 8	2011		31	38	164
Year 9	2012				
Year $10^3$	2013	798 moose (±13.6% at 90% CI)	50	55	244
		w/scf			
Year 11	2014	1	-		

<sup>&</sup>lt;sup>1</sup>February-March GSPE surveys (observed moose, not corrected for sightability unless denoted w/scf [with sightability correction factor]).

**Describe trend in abundance or composition:** No detectable trend in moose abundance within the WCFA

<sup>&</sup>lt;sup>2</sup>November line transect surveys; 2005 composition survey conducted in a larger geographic area than other years.

<sup>&</sup>lt;sup>3</sup>GSPE conducted in BCFA only

Table 2. Moose harvest in Wolf Control Focus Area ( $\underline{WCFA}$ ) since program implementation in year 1 to year 11. Regulatory year is 1 July to 30 June (e.g, RY 2014 is 1 July 2014 to 30 June 2015).

	Regulatory	Reported Harvest		Total	Other	
Period	Year	Male	Female	harvest	mortality <sup>a</sup>	Total
Year 1	2004	37		37		37
Year 2	2005	42		42		42
Year 3	2006	1 <sup>b</sup>		1	0	1
Year 4	2007	2 <sup>b</sup>		2	0	2
Year 5	2008	1 <sup>b</sup>		1	4	5
Year 6	2009	1 <sup>b</sup>		1	1	2
Year 7	2010	3 <sup>b</sup>		3	0	3
Year 8	2011	2 <sup>b</sup>		2	2	4
Year 9	2012	2 <sup>b</sup>		2	0	2
Year 10	2013	3 <sup>b</sup>		2	1	3
Year 11	2014	1 <sup>b</sup>		1	3	4

<sup>&</sup>lt;sup>a</sup>Mortuary harvest; other permitted harvest

Describe trend in harvest: Declined due to hunting season closure in most of the WCFA

Describe any other harvest related trend if appropriate: None

#### 3) Predator data

## **Wolves**

Date(s) and method of most recent spring abundance assessment for wolves in the WCFA: April 2014, private pilot interviews and state pilot observations

Date(s) and method of most recent fall abundance assessment for wolves in the WCFA: April 2014, calculated for fall 2013 by subtracting total removal from WCFA to spring 2014 abundance estimate

Other research or evidence of trend or abundance status in wolves: <u>Pre-control wolf</u> estimate was modeled at 75–100 wolves in the WCFA

<sup>&</sup>lt;sup>b</sup>Hunting season closed, except within the Lime Village Management Area

Table 3. Wolf abundance and removal in Wolf Control Focus Area (WCFA) since program implementation in year 1. Removal objective is to reduce wolf numbers as low as possible in the WCFA and to maintain 30-36 in all of Unit 19A to ensure wolves persist in the unit. The fall RY 2014 modeled wolf population estimate for all of Unit 19A is 88-118. Regulatory year is 1 July to 30 June (e.g, RY 2014 is 1 July 2014 to 30 June 2015).

	D 1.	F 11		vest oval	Dept.	Public	m . 1	a :
	Regulatory	Fall	_		control	control	Total	Spring
Period	Year	abundancea	Trap	Hunt	removal	removal	removal	abundance
Year 1	2004		3	0	0	40	43	
Year 2	2005	44–46	2	0	0	36	38	5–7 <sup>b</sup>
Year 3	2006		0	0	0	7	7	
Year 4	2007	27	0	3	0	12	15	12 <sup>b</sup>
Year 5	2008		1	0	0	19	20	
Year 6	2009		0	0	0	2	2	
Year 7	2010	30	1	0	0	10	11	19 <sup>b</sup>
Year 8	2011	21	0	0	0	8	8	13°
Year 9	2012	24	2	0	0	0	2	22°
Year 10	2013	32	2	0	0	6	8	24 <sup>c</sup>
Year 11	2014							

<sup>&</sup>lt;sup>a</sup> Calculated by subtracting total removal from WCFA spring abundance during each RY.

#### **Black Bears**

Date(s) and method of most recent spring abundance assessment for black bears in the BCFA: May 2013, based on removal estimator.

Date(s) and method of most recent fall abundance assessment for black bears in the BCFA: None

Other research or evidence of trend or abundance status in black bears: Estimated population of 2,500–3,000 black bears in Unit 19A and 135–160 total bears in the BCFA prior to removal. Estimator is based on known bear densities in similar habitats in other game management units in Interior Alaska.

MILLER S., G.C. WHITE, R.A. SELLERS, H.V. REYNOLDS, J.W. SCHOEN, K. TITUS, V.G. BARNES, JR., R.B. SMITH, R.R. NELSON, W.B. BALLARD, AND C.C. SCHWARTZ. 1997. Brown and black bear density estimation in Alaska using radiotelemetry and replicated mark-resight techniques. *Wildlife Monographs* 133.

BOUDREAU T.A. 2005. Units 19, 21A and 21E black bear management report. Pages 218–222 *in* C. Brown, editor. Black bear management report of survey and inventory activities 1 July 2001–30 June 2004. Alaska Department of Fish and Game. Project 17.0. Juneau, Alaska.

<sup>&</sup>lt;sup>b</sup>Abundance based on aerial reconnaissance survey.

<sup>&</sup>lt;sup>c</sup>Abundance based on private and department pilot observations.

Table 4. Black bear abundance and removal in Bear Control Focus Area (BCFA) since bear control was implemented in Year 9. Removal objective is to reduce bear numbers as low as possible within the BCFA. The spring RY 2012 estimated black bear population for all of Unit 19A is 2,500–3,000. Regulatory year is 1 July to 30 June (e.g. RY 2014 is 1 July 2014 to 30 June 2015).

					De	pt.		
		Spring	Har	vest	con	trol		
	Regulatory	abundance	rem	oval	rem	oval	Total	Fall
Period	Year	(95% CI)	FA <sup>a</sup>	$SP^b$	FA	SP	removal	abundance
Year 9	2012	92–102 <sup>c</sup>	0	1	0	84 <sup>d</sup>	85	
Year 10	2013		0			54	54	
Year 11	2014		0	1			0	

<sup>&</sup>lt;sup>a</sup>Fall

#### **Brown Bears**

Date(s) and method of most recent spring abundance assessment for brown bears in the BCFA: May 2012, modeled based on known bear densities in similar habitats.

Date(s) and method of most recent fall abundance assessment for brown bears in the BCFA:  $\underline{None}$ 

Other research or evidence of trend or abundance status in black bears: Estimated population of 200 brown bears in Unit 19A is based on known bear densities in similar habitats in other game management units in Interior Alaska.

MILLER S., G.C. WHITE, R.A. SELLERS, H.V. REYNOLDS, J.W. SCHOEN, K. TITUS, V.G. BARNES, JR., R.B. SMITH, R.R. NELSON, W.B. BALLARD, AND C.C. SCHWARTZ. 1997. Brown and black bear density estimation in Alaska using radiotelemetry and replicated mark-resight techniques. *Wildlife Monographs* 133.

BOUDREAU T.A. 2005. Units 19, 21A and 21E black bear management report. Pages 218–222 *in* C. Brown, editor. Black bear management report of survey and inventory activities 1 July 2001–30 June 2004. Alaska Department of Fish and Game. Project 17.0. Juneau, Alaska.

<sup>&</sup>lt;sup>b</sup>Spring

<sup>&</sup>lt;sup>c</sup>Independent bears

<sup>&</sup>lt;sup>d</sup>Includes one bear killed but not recovered

Table 5. Brown bear abundance and removal in Bear Control Focus Area (BCFA) since bear control was implemented in Year 9. Removal objective is to reduce bear numbers as low as possible within the BCFA. The Spring RY 2012 estimated brown bear population for all of Unit 19A is 200. Regulatory year is 1 July to 30 June (e.g. RY 2014 is 1 July 2014 to 30 June 2015).

					D	ept.		
		Spring	Har	vest	coı	ntrol		
	Regulatory	abundance	rem	oval	ren	noval	Total	Fall
Period	Year	(95% CI)	FA <sup>a</sup>	$SP^b$	FA	SP	removal	abundance
Year 9	2012	10–15°	0	0	0	5	5	
Year 10	2013		0	0		10	10	
Year 11	2014		0	1				

<sup>&</sup>lt;sup>a</sup> Fall

# 4) Habitat data and nutritional condition of prey species

Where active habitat enhancement is occurring or was recommended in the Operational Plan, describe progress toward objectives: No active habitat enhancement.

Table 6. Nutritional indicators for moose in Wolf Control Focus Area (WCFA) since program implementation. Regulatory year is 1 July to 30 June (e.g, RY 2014 is 1 July 2014 to 30 June 2015).

		Twinning Rate of	Twinning Rate of
		radiocollared cows	uncollared cows
	Regulatory	with calf that had	with calf that had
Period	Year	twins (n)	twins (n)
Year 1	2004	43% (7)	1
Year 2	2005		
Year 3	2006		64% (11)
Year 4	2007	-	75% (4)
Year 5	2008	-	
Year 6	2009	-	-
Year 7	2010	-	-
Year 8	2011	-	-
Year 9	2012	54% (26)	60% (15)
Year 10	2013	70% (27)	48% (27)
Year 11	2014		

<sup>&</sup>lt;sup>b</sup> Spring

<sup>&</sup>lt;sup>c</sup> Based on known bear densities in similar habitats

## 5) Costs specific to implementing Intensive Management

Table 7. Cost (\$1000 = 1.0) of agency salary based on estimate of proportional time of field level staff and cost of operations for intensive management activities (e.g., predator control or habitat enhancement beyond normal Survey and Inventory work) performed by personnel in the Department or work by other state agencies (e.g., Division of Forestry) or contractors in Unit 19A during years 7-10. Fiscal year (FY) is also 1 July to 30 June but the year is one greater than the comparable RY (e.g, FY 2010 is 1 July 2009 to 30 June 2010).

	Fiscal	Predation	controla	Other IM activities		Total IM	Research
Period	Year	Time <sup>b</sup>	Cost <sup>c</sup>	Time	Cost	cost	cost <sup>d</sup>
Year 7	2011	0.4	3.5	5.2	47.2	50.7	0.0
Year 8	2012	0.5	3.9	2.0	31.8	35.7	0.0
Year 9	2013	9.7	408.7	2.0	29.2	437.9	0.0
Year 10	2014	17.3	260.3	0.6	41.8	302.1	0.0

<sup>&</sup>lt;sup>a</sup>State or private funds only.

# 6) Evaluation (August 2014) for program renewal following Year 9 and Department recommendations for Unit 19A

Has progress toward defined criteria been achieved? <u>Unknown</u>
Has achievement of success criteria occurred? No
Recommendation for IM program [choose one]: Continue

Rationale for recommendation on overall program: <u>The second of 2 years of bear control was completed in spring 2014</u>. Calf survival appears to have improved. Continued predation reduction is needed to enhance moose recovery.

Other recommendations (if continuation is recommended, specific actions on individual practices): Program was modified to include bear control during spring 2013 and 2014. We concluded the department bear control effort in spring 2014. We recommend continuing aerial wolf control as moose recover. Program was modified during the February 2014 Board meeting by providing an option for department bear control; continuing public wolf control; establishing a population criteria of 2.0 moose/mi² within the BCFA; establishing harvest criteria of 120 moose from within the WCFA.

<sup>&</sup>lt;sup>b</sup>Person-months (22 days per month)

<sup>&</sup>lt;sup>c</sup>Salary plus operations

<sup>&</sup>lt;sup>d</sup>Separate from implementing IM program but beneficial for understanding of ecological or human response to management treatment (scientific approach that is not unique to IM).