MSB Fish & Wildlife

net, Commission

Staff: Ted Eischeid.

Table. Estimates of Northern Cook Inlet and Anchorage area coho salmon harvest in sport fisheries, Northern District (ND) set gillnet, Central District (CD) set gillnet, and Central District drift gillnet fisheries, 2013-2016.

	Sport Harvest					Commercial Harvest				
Year	Susitna	Knik Arm	WCI ^d	Anchorage c	Sport Total	ND Set ^{a,b}	CD Set ^{a,b}	Drift ^{a,b}	Commercial Total	Total
2013	26,031	12,292	6,944	6,663	51,930	41,703	N/A	177,587	219,290	271,220
2014	25,434	16,590	6,202	9,515	57,741	33,512	N/A	69,513	103,025	160,766
2015	29,234	18,108	11,842	16,483	75,667	42,607	12,433	119,946	174,987	250,654
2016	9,961	7,962	6,029	5,222	29,174	29,328	5,349	78,148	112,825	141,999
Averages	22,665	13,738	7,754	9,471	53,628	36,788	8,891	111,299	152,532	206,160

^aEstimates of Northern Cook Inlet coho salmon harvested in set and drift gillnet commercial fisheries include harvest from the Northwest, Susitna, Deshka, Yentna, Knik, Jim, and Turnagain/Northeast reporting groups.

^b Excludes the Southwest reporting group, which includes Crescent River and Polly and Harriet creeks at the southern end of NCI.

c includes sport harvest from East Fork Sixmile Creek, Resurrection Creek, Chickaloon River, Mystery Creek, Sucker Creek, and Bishop Creek which are part of the Turnigan/Northeast reporting group just south of the Anchorage management area.

d includes minor sport harvest south of NCI.